UNSW

Contents

1 Introduction 1
2 Site locations and collected data 2
3 Instrumentation and data processing 6
3.1 Cameras 6
3.2 Wave probes 8
4 Results 11
4.1 Measured wave climate 11
4.2 Boats detected by camera 16
4.3 Example wave traces for individual boats 22
5 Discussion 31
6 Summary 32
7 References 33

Figure 4.14 Example wave trace from boat heading downstream on Manning River (image 29 April 2022 17:08:09 AEST - wave probe deployment 1) 25
Figure 4.15 Example wave trace from boat heading downstream on Manning River (image 11 May 2022 11:17:23 AEST - wave probe deployment 1) 26
Figure 4.16 Example wave trace from boat heading downstream on Manning River (image 17 Aug 2022 7:42:54 AEST - wave probe deployment 2) 27
Figure 4.17 Example wave trace from boat heading upstream on Manning River (image 18 Aug 2022 12:41:54 AEST - wave probe deployment 2) 28
Figure 4.18 Example wave trace from boat heading downstream on Manning River (image 21 Aug 2022 11:58:01 AEST - wave probe deployment 2) 29
Figure 4.19 Example wave trace from boat heading downstream on Clyde River (image 5 May 2022 12:31:02 AEST - wave probe deployment 1) 30

1 Introduction

The Water Research Laboratory (WRL) of the School of Civil and Environmental Engineering at UNSW Sydney was engaged by the NSW Department of Climate Change, Energy, the Environment and Water (DCCEEW; formerly the NSW Department of Planning and Environment) to partner in monitoring boat traffic at one location on the south channel of the Manning River (at Pampoolah) and one location on the upper Clyde River (approximately 7 km downstream of Shallow Crossing) for NSW Local Land Services (LLS). DCCEEW led the project while WRL provided expert assistance by developing and implementing a pilot field program to measure the local wave climate and automatically photograph boat traffic at both sites. DCCEEW staff assisted WRL staff with the initial deployment of a camera and wave probe at each location. Subsequent field trips to maintain and retrieve these instruments (cleaning, data downloads and battery changes) were undertaken by DCCEEW staff with remote support provided by WRL.

Figure 2.2 Camera and wave probe location on the Clyde River

Table 2.1 summarises the data collection periods between December 2021 and March 2023 for instrumentation on the Manning River and Clyde River. This same information is illustrated in Figure 2.3 and Figure 2.4, respectively. The camera and wave probe generally collected data concurrently at both locations except for 14 December 2022 to 17 February 2023 on the Manning River (wave probe available only) and the early part of the campaign in December 2021 and February and March 2022 on the Clyde River (camera available only).

Table 2.1 Summary of data collection periods on the Manning River and Clyde River

Location	Camera	Wave probe
Manning River	23/03/2022 – 14/12/2022	23/03/2022 – 26/05/2022 (Manning deployment 1) 04/08/2022 – 07/10/2022 (Manning deployment 2) 14/12/2022 – 17/02/2023 (Manning deployment 3)
Clyde River	17/12/2021 – 23/12/2021 10/02/2022 – 30/06/2022 23/12/2022 – 03/03/2023	04/04/2022 – 07/06/2022 (Clyde deployment 1) 19/12/2022 – 22/02/2023 (Clyde deployment 2)

Figure 2.3 Data collection periods on the Manning River

Figure 2.4 Data collection periods on the Clyde River

WRL also undertook an unmanned aerial vehicle (UAV) survey,



Figure 2.5 Orthomosaic image from UAV survey including Manning River monitoring station

3.2 Wave probes

Battery powered RBRduo^3 wave probes (Figure 3.4), which logged data internally at 16 Hz at all times (i.e. 24 hours a day), were used to measure waves (which included wind waves and boat waves) at both locations. These wave probes were placed underwater inside a porous length of PVC pipe anchored on the riverbed approximately 5 to 10 m from the bank. Due to the proximity of wave probe to each bank, wave reflections off the bank were evident in the resulting dataset. The pressure transducers in the wave probes were located approximately 0.15 m above the riverbed at both locations. Photographs of the portable wave probe mounting rigs on the Manning River and Clyde River immediately prior to installation are shown in Figure 3.

Figure 3.5 Photograph of portable wave probe mounting rig usedso 0 595.32 842.04 reW*nBT/F3 9.96 Tf1 0

Figure 4.1 Scatter plot of wave height versus period at the Manning River monitoring station

Figure 4.2 Scatter plot of wave energy versus period at the Manning River monitoring station

Figure 4.5 Scatter plot of wave height versus period at the Clyde River monitoring station

Figure 4.6 Scatter plot of wave energy versus period at the Clyde River monitoring station



Figure 4.7 Exceedance probability of wave height at the Clyde River monitoring station



Figure 4.8 Exceedance probability of wave energy at the Clyde River monitoring station

Table 4.3 Summary of boat and boat wave images captured on the Clyde River

Calendar month	# images with boat	# images with boat wave only	# images with boat and/or boat wave
17-23/12/2021	2	0	2
10-28/02/2022	2	5	7
1-31/03/2022	3	0	3
1-30/04/2022	1	1	2
1-31/05/2022	1	1	2
1-30/06/2022	1	1	2
23-31/12/2022	1	0	



Figure 4.9 Selection of boat images captured on the Manning River (1 of 2)

Figure 4.10

4.3 Example wave traces for individual boats

While it was was outside the scope of works of this study to analyse waves associated with every individual boat pass, further analysis was undertaken on a selection of seven boats passing the Manning River monitoring station and one boat passing the Clyde River monitoring station. Figures 4.12 to 4.19 show example photos captured of each boat and their associated measured wave trace along with the following wave parameters:

Number of waves within each wave packet generated by passing vessel (Count)
Maximum wave height (H_{max})
Period of maximum wave height (T_{Hmax})
Energy of maximum wave height (E_{Hmax})
Maximum wave period (T_{max})
Maximum individual wave energy (E_{max})
Total wave energy of the wave train (E_{total}).

On each wave trace plot, the wave with maximum height (H_{max}



Figure 4.15 Example wave trace from boat heading downstream on Manning River (image 11 May 2022 11:17:23 AEST - wave probe deployment 1)



Figure 4.16 Example wave trace from boat heading downstream on Manning River (image 17 Aug 2022 7:42:54 AEST - wave probe deployment 2)



Figure 4.17 Example wave trace from boat heading upstream on Manning River (image 18 Aug 2022 12:41:54 AEST - wave probe deployment 2)