national drug research institute

Review of the Aboriginal and Torres Strait Islander Alcohol, Tobacco and Other Drugs Treatment Service Sector: Harnessing Good Intentions

Dennis Gray, Annalee Stearne, Matthew Bonson, Edward Wilkes, Julia Butt, Mandy Wilson

June 2014

Preventing harmful drug use in Australia

The National Drug Research Institute at Curtin University is supported by funding from the Australian Government under the Substance Misuse Prevention and Service Improvement Grants Fund

WHO Collaborating Centre for the Prevention of Alcohol and Drug Abuse

National Drug Research Institute
Curtin University
GPO Box U1987 Perth WA 6845
telephone +61 8 9266 1600
Email: ndri@curtin.edu.au
Website: ndri.curtin.edu

CRICOS Provider Code 00301J (WA), 02637B (NSW)

Aboriginal and c8G88orsaStrG88oagt-261 aI-26rs-190l nd e

Acknowledgments

First, we would like to thank the representatives of Aboriginal and Torres Strait Islander community controlled health and alcohol, tobacco and other drug services, non-Indigenous non-government service providers, and Australian and state and territory government agencies who participated in the project on which this report is based. All of those we were able to interview gave freely of their time and insights and we are grateful to them. The project was part of a wider review of drug and alcohol prevention and treatment services conducted by the National Drug and Alcohol Research Centre at the University of New South Wales with funding from the Australian Government Department of Health. The National Drug Research Institute at Curtin University is supported by funding from the Australian Government under the Substance Misuse Prevention and Service Improvement Grants Fund.

- The uneven geographical distribution of ATOD services and lack of correlation between service provision and population levels and indicators of harm is evidence that there has been little planning of service provision.
- Service provision is fragmented and often not coordinated resulting in less than optimal effectiveness.

- Giving local ACCHS and ACCOs greater input into decision making process requires a structure or structures to facilitate this. If the ACCHS-PHC centred model of service provision could be successfully negotiated and agreed upon by stakeholders, NACCHO might provide part of that structure.
- A clearly articulated model for the provision of ATOD-treatment services such as the ACCHS-PHC centred model could provide a more effective focus for the planning and provision of ATOD treatment services and help to ensure effective use of resources and improved outcomes for the clients of ATOD service providers.

Funding

- Funding of ATOD services is an investment that contributes to the reduction of ATOD-related costs, including those of: disruption to child-development and education; unemployment; and high levels of violence and incarceration.
- None of the key informants interviewed, none of the submissions made as part of the consultations conducted for development of the *National Aboriginal and Torres Strait Islander Peoples Drug Strategy*, nor any of the published reports on this area indicate that, across-the-board, levels of funding for ATOD treatment services are adequate.
- Generally, grants are too small to enable organisations to support the demand for services placed upon them. This leads to organisations chasing smaller addition grants. resulting in inefficient administrative and reporting burdens.
- Given the fragmented nature of ATOD treatment service provision, efficiencies are likely be achieved by increased coordination of services. Due to their numbers and geographic spread, ACCHS are best placed to facilitate such coordination.
- In light of the need for greater integration of PHC and specialist ATOD treatment services transfer of funding for Aboriginal and Torres Strait Islander ATOD treatment services from the Australian Government Department of Health to the Department of the Prime Minister and Cabinet, while well intentioned, is a retrograde step. It fragments funding sources and is likely to impose additional administrative burdens.
- Aboriginal Hostels' funding for bed places in residential treatment facilities should be consolidated under treatment grants funding.
- A potential advantage of an ACCHS-PHC centred model of ATOD treatment service provision is the opportunity for increased access to Medicare funding for such services as screening and brief interventions and improved treatment under mental health and chronic disease care packages.
- Across Australia, Aboriginal and Torres Strait Islander people have established and selected their own preferred service providers. They are well-established have no 'competitors' and have had historically-based funding agreements. In these circumstances there is no advantage in competitive tendering and these organisations are best funded by means of individually negotiated agreements.

- In the Aboriginal and Torres Strait Islander context, the continued provision of funds through block grants is the most practical option for the foreseeable future. However, there need to be clearly defined criteria for the basis of such funding, including assessments of need and the costs of service provision.
-

Introduction

Higher levels of alcohol, tobacco and other drug use (ATOD) among some sections of the Aboriginal and Torres Strait Islander population are a consequence of and contribute to social inequality.[1–3] They contribute to: a significant proportion of the burden of physical and mental ill-health; have a negative impact on the capacity of individuals for employment; disrupt the early development and education of children; contribute to higher levels of breakdown in inter-personal relationships; violence and other crime; and, higher levels of incarceration.[4–8]

In order to reduce Aboriginal and Torres Strait Islander inequality, community action and government programs to reduce ATOD-related problems have been and continue to be of high priority. It is important to note, however, that because of the complex web of social problems within which ATOD-related problems are embedded on their own strategies to reduce harmful ATOD use will be circumscribed in their effectiveness.

Research evidence shows that to effectively reduce ATOD-related harm, a multi-faceted

> clarity as to the type and timing of drug and alcohol funding activities undertaken by governments; and
>
> the development of a resource/tools to help focus future government funding activities to ensure existing levels of resources (and any growth funding) are used as efficiently and effectively as possible to deliver quality, sustainable drug and alcohol services that respond to the needs of individuals, families and communities.
>
> The findings of the review will identify ways for governments to work collaboratively and better plan for the future delivery of drug and alcohol services and improved treatment outcomes (Commonwealth of Australia 2013).[10]

The larger review was conducted by the National Drug and Alcohol Research Centre (University of New South Wales),[11] which contracted the National Drug Research Institute at Curtin University to:

> Provide a report which collects and analyses data from stakeholders across the Aboriginal and Torres Strait Islander community including primary health care services, community-based organisations, residential rehabilitation services, and inclusive of Aboriginal peak bodies (e.g. the National Aboriginal Community Controlled Health Organisation and its affiliates) which covers:
>
> - identification of gaps in current service provision;
> - areas of unmet need;
> - priority groups;
> - service planning processes;
> - funding models/funding arrangements and contracting issues; and,
> - strengths, weaknesses and challenges across these areas.

Methods

A synthetic, qualitative approach was used to meet objectives of the study. Semi-structured key informant interviews were conducted with:

- representatives of peak organisations representing residential, community-based and primary health care services providing ATOD treatment services (Aboriginal and Torres Strait Islander community-controlled organisations, other NGOs, and government agencies)[b] – or, in jurisdictions where there are no such peak organisations, representatives of particular organisations providing such services;

b. We use the abbreviation ACCHS to refer specifically to Aboriginal and Torres Strait Islander primary health services (or Aboriginal medical services). The abbreviation ACCOs is used in two ways, which will be obvious from the context in which they are employed: to refer to other Aboriginal and Torres Strait Islander community controlled organisations (usually specialist ATOD service providers); and to refer to all Aboriginal and Torres Strait Islander community controlled organisations including ACCHS. The abbreviation NGO is used to refer to non-Indigenous non-government organisations.

- employees of Australian Government and state/territory agencies funding Aboriginal and Torres Strait Islander ATOD treatment services, referred to as employees rather than representatives as, often, they expressed views based on their own experiences in the field and not simply the views of the agencies by which they were employed; and,
- members of the National Indigenous Drug and Alcohol Committee (NIDAC) and others with expertise in the issues under consideration.

Within the constraints imposed by the project budget, a total of 28 Aboriginal and Torres Strait Islander and 25 non-Indigenous people were interviewed, either individually or in small groups, in nine locations in all state and territory jurisdictions except Tasmania.

To flesh-out the information obtained from interviews and to provide a broader context, we also reviewed both the NIDAC report on consultations for the new *National Aboriginal and Torres Strait Islander Peoples Drug Strategy* and the written submissions made as part of that consultation.[12,13] We also reviewed previous reports and other publications addressing: treatment services; broader provision of ATOD services; primary health care services; and, general issues pertaining to service delivery among Aboriginal and Torres Strait Islander people. Among the most salient of these were: an Australian National Council on Drugs (ANCD) report on 'areas of greatest need' in the provision of Indigenous-specific alcohol and other drug services;[14] a NIDAC statement on the funding of Indigenous-specific alcohol and other drug services;[15] and, a review of contracting for the provision of primary health services.[16] Information from other sources is discussed in the body of the report.

The qualitative data from these various sources were subject to thematic analyses within the structure provided by the objectives of the review. These analyses were also guided by the experience of the authors who collectively have extensive involvement in ATOD research, ATOD and primary health care service provision, and ATOD and health policy (see Appendix 2 for more detail).

The project was conducted within the framework of the NHMRC's *Guidelines for Ethical Conduct in Aboriginal and Torres Strait Islander Health Research*,[17] and the Curtin University Human Research Ethics Committee gave approval for the project (Protocol Approval NDRI 05 2013).

The need and demand for treatment services

Given the diversity among Aboriginal and Torres Strait Islander peoples, to effectively provide treatment for ATOD related harm among them we need to know – at a local, or at least at a regional level – what are the patterns and levels of ATOD consumption, what are the consequence of those patterns and levels of use, what services are available to address them, what additional services are needed, if any, and what are the priorities for intervention based upon both epidemiological data and those articulated by particular communities.

Epidemiological data of sufficient detail are not available to quantify either the need or the demand for ATOD treatment clinical services, nor the specific level of resourcing that should be allocated to them. Nevertheless, at the population level, ATOD-caused deaths, hospital admissions and emergency presentations for ATOD-caused conditions, and survey data all indicate that the level of harmful ATOD use is *at least twice*, and probably greater, among Aboriginal and Torres Strait Islander people than in the non-Indigenous population.[4–7] Furthermore, work done as part of development of the *Drug and Alcohol Service Planning Model for Australia* indicates that there is a need for greater intensity of service provision for Aboriginal and Torres Strait Islander people undergoing treatment.[28,29] While it is difficult to measure the demand for treatment services among Aboriginal and Torres Strait Islander people, both the levels of measurable ATOD-related harm and the comments of service providers indicate that there is a considerable level of demand that is not being met.

Apart from isolated studies, below the national level systematic data on patterns and levels of consumption – apart perhaps for smoking rates – are either not available or are

> I think there is a social acceptance of gunja (cannabis), you know what I mean? It's an illicit drug but socially we accept it, so therefore it's okay, everybody does it. (CEO ACCHS)

> The other (major drug of concern), obviously, is bloody yarndi – marijuana – and that's still a fairly big contributor (to the problems we see). … Marijuana and alcohol are the biggest issue for us. (Representative NACCHO affiliate)

> I have major concerns about the growth and the encroachment of drugs like cannabis into our Aboriginal worlds. I've seen it grow and emerge into a major drug of concern. (Representative urban ACCHS)

The other category of drugs that is of concern is amphetamine type stimulants (ATS). The 2008 NATSISS reported that a little over 10 per cent reported ever using ATS and five per cent that they had done so in the previous 12 months.[6,31] Again, this is likely to have been an under-estimate. Of particular concern has been the use of methamphetamines. A qualitative research project conducted for the Australian Government Department of Health (AGDH)[c] at about same time as the 2008 NATSISS found that:

> While the research is unclear with regards to the prevalence of methamphetamine use in Indigenous communities, especially remote and regional communities, it is clear that it is an issue of increasing significance.[33]

This view of increasing significance appears to have been borne out and, although there is still an absence of quantitative data on ATS use, key informants from ACCOs reported increasing use and injecting of methamphetamines and harms arising from this – particularly in urban areas but also rural and remote towns, as also reported by police in some locations such as the Kimberly.[34]

> The heavier drugs are getting up there (in terms of use and impact). So the heavier drugs are slowly increasing amphetamines and that. (CEO ACCO)

> I think amphetamines in our community have caused so much problems around domestic violence and family and community violence. (CEO ACCHS)

Concern about observed increases in methamphetamine use prompted NACCHO and NIDAC to conduct a survey on ATS issues among workers in the ATOD field.[35] The report cautioned that it was not a representative sample survey, but 88 per cent of respondents reported observing a recent increase in ATS use among their clients.

c. For convenience and to avoid confusion, we refer to the Australian Government of Health by its current name – rather than previous names such as the Australian Government Department of Health and Ageing – and use the abbreviation AGDH.

A key issue in addressing both cannabis and ATS use is that, while ATOD service providers are skilled in treating alcohol related problems, fewer have the skills to address the issues arising from illicit drug use. The impact of cannabis has been recognised by key stakeholders and the National Cannabis Prevention and Information Centre (NCPIC) has funded the National Drug Research Institute to develop a cannabis intervention – 'Could it be the Gunja?' – for use in PHC settings.[36] Resources have been developed but additional funding is required to roll-out the intervention.

Similarly soC

> If you look at the onset of substance misuse at an early age, you really need to have a whole lot of better interventions and engagement programs in that early phase and they just don't. (CEO, NGO peak body)

The paucity of specific youth treatment services results in referrals from far distant communities to places where those services that do exist.

> Because there's a lack off of youth specific drug and alcohol agencies around Aust(vi)18(d4(a)-12(ml17(i)

> either has to pack up roots and move because they can't come back to that environment or you've got to encourage the family. (CEO ACCHS)

On-going care

One of the gaps in service provision most commonly identified was that of on-going care (also referred to as after-care, continuing care, or maintenance) These are services that provide support following the intensive stage of treatment.[19] They consist of more than simple practitioner follow-up and among other things they might include on-going management of co-morbid physical and mental health problems, support group meetings, counselling sessions, advocacy and linking to other services and facilitation of integration back in to communities for those completing periods of residential treatment. Provision of on-going care should be an essential component of a treatment program. It has been shown to significantly reduce relapse rates and the associated costs of providing additional intensive clinical services and thus, protects initial investment in such expensive services.[14,19,20,39,40]

A number of stakeholders acknowledged the importance of extended, on-going care as

which local ACCHS or other PHC providers take responsibility for on-going service provision.

Other gaps

In addition to the issues discussed above, other gaps in service provision identified by key informants included: the lack of coordinated care for clients with co-morbid mental health problems; the lack of resources available for providing or linking into social support services for clients and for case management; and, treatment services in correctional institutions or as an alternative to incarceration. [42,43]

Summing many of these concerns one stakeholder stated:

> … these patients have really complex problems, mental health issues, housing issues, corrections issues. There's no system it's very piecemeal… . We can make those systems internally, which is what we've tried to do in (named location). But then it's the external referrals – especially in remote rural areas – that you can't do … There are all these other links that you need. (Representative NACCHO affiliate)

It is important to recognise that these gaps and the priorities accorded to addressing them vary both locally and regionally and that different strategies are available to address them. For this reason, it is important that local ACCOs and peak bodies are involved in developing strategies to address their priorities and that funding is flexible enough to accommodate those strategies.

Culturally safe services

The need for ATOD treatment programs to be culturally appropriate and culturally safe

Governance

As indicated by funding agency employees in different jurisdictions despite common perceptions most Aboriginal and Torres Strait Islander ATOD service provider organisations are well governed. However, there are some which have been poorly governed resulting in poor quality service provision and, in some instances, to defunding. As both service providers and funding agency employees pointed out, one of the more common problems is poor financial control by boards of management – often arising because members have limited expertise or interest in financial management. Issues also arise because board members may be enthusiastic about addressing ATOD problems but, again, have little knowledge of current best practice. Governments have attempted to address the first of these problems by providing basic governance training to board members. However, in the view of one senior funding agency employee, while this provides members with an understanding of their responsibilities it does not provide the level of expertise required to effectively govern an organisation. To ensure better treatment outcomes, there is need for funding agencies to make available to the boards of Aboriginal and Torres Strait Islander ATOD treatment services, where required, training and resources to strengthen governance procedures. Of their own volition, some organisations have moved to the appointment of board members with specific areas of expertise, for example, clinical services and financial management – with varying voting rights arrangements – in addition to elected members without undermining the principle of community control.

Importantly, ATOD treatment workforce development and expansion should not be viewed simply as a cost. As well as providing much needed services and contributing to the reduction of ATOD-related harm, it can provide real employment opportunities in Aboriginal and Torres Strait Islander communities with flow-on effects in reducing dependence on the social security system and providing support and improved living conditions for the families of such workers.

NGO service provision

The focus of this report has been on the provision of ATOD treatment services by Aboriginal and Torres Strait Islander community controlled organisations. This does not mean we think that Aboriginal and Torres Strait Islander people should not have the choice of using mainstream service providers or that NGOs do not have a role to play in the provision of ATOD treatment services specifically for Aboriginal and Torres Strait Islander people. In the first instance, mainstream service providers should provide their services on the same basis they do for non-Indigenous clients with the proviso that, as for all clients, their services should be culturally safe.

There was recognition by Aboriginal participants that in some instances, although there

programs. Government programs for Aboriginal and Torres Strait Islander people are aimed at alleviating disadvantage and providing equal opportunity to fully participate in Australian society. However, a view expressed by some service providers is that such aims are over-shadowed by departmental concerns with their roles as fund administrators and funding contract managers. While acknowledging that financial accountability is important, they felt that – with some notable exceptions – many contract managers knew little about the organisations they were funding and they provided little support in terms of meeting broad program objectives. Without 'micro-managing' or over-planning, government agencies can play a greater role in ensuring consistency of expectations between service providers and funders, supporting organisational capacity and being flexible and responsive to community expressions of need.

Representation and peak organisations

As well as bodies such as the National Aboriginal Drug and Alcohol Committee and the National Health Leadership Forum, there is a need for a representative body that can more directly speak for other ACCOS that provide ATOD services (which currently have no such body) and to work in partnership with governments to the end of providing improved outcomes. Again, it would need to be negotiated with and between Aboriginal and Torres Strait Islander organisations, yet the most efficient means of providing such representation for ATOD-specific services is through NACCHO and its affiliates. As precedents for this, participants cited examples of the Aboriginal Medical

governments with their roles and

Planning for More Effective Treatment Service Provision

Planning is a critical component in the delivery of services aimed at reducing the harms associated with ATOD use in Aboriginal and Torres Strait Islander communities. ATOD treatment services are impacted upon by planning occurring at the national, state, local and agency level, and the quality of that planning impacts, both positively and negatively, across the field – most importantly upon those seeking

Any discussion of planning should not be limited to a discussion of how resources are allocated but should consider how they are applied.

Another distinction made by Ritter *et al.* which is salient to our discussion is that between strategic and operational planning.[52] Strategic planning is the high level national planning in which the vision, direction and objectives are set. It guides the general direction of service delivery and the development of the overall framework and principles. Some have defined technical planning narrowly as 'the systematic approach to the distribution of scarce resources' and the explicit allocation of resources.[52,53] While this view predominates, others have described technical and operational planning as the translation of strategic objectives into a concrete sequence of activities involving the allocation of budgets and resources, the provision of facilities, equipment and staff and the organisation of services.[52,54] Importantly, this second conceptualisation includes not only the allocation of resources but the implementation and organisation of services. Emphasis is given to both to both in this report. The report considers planning for ATOD service provision for Aboriginal and Torres Strait Islander people from national, state, local and service provider levels. Critical to all of this is a clearer understanding of what services are needed and what services are available.

Strategic planning

The primary strategic planning document for reduction of ATOD-related harm in Australia is the *National Drug Strategy 2010–2015* (the *NDS*).[9] The *NDS* aims 'to build safe communities by minimising alcohol, tobacco and other drug related health, social and economic harms' and encompasses the three pillars of demand reduction, supply reduction and harm reduction. As with previous iterations of the strategy, the *NDS* was developed consultatively in a process overseen by the Intergovernmental Committee on Drugs (IGCD) and endorsed by the Ministerial Council on Drugs. Importantly, the *NDS* specifies that is underpinned by commitments to partnerships across sectors, good governance (including partnerships and consumer participation), building the evidence base, evidence informed practice and innovation, monitoring performance and

framework provided by the *NDS* and *CAP* –

A key challenge to strategic planning at the agency level is balancing the priorities of communities and those of funders – priorities which may not be in accord. A number of key informants also discussed the challenges in planning when they are reliant on short term funding cycles which can limit the capacity of agencies to hold long term strategic plans. As one ACCO representative said, 'Our planning is limited by our funded arrangements'. Smaller agencies with limited funding sources are particularly at risk of developing planning procedures which focus more on the needs of funders than the communities they service.

Technical planning

As indicated above, key informants generally felt positively towards the goals of the *NDS* and the *CAP*. Nevertheless, within the ACCO and NGO sectors, there was concern that these goals were poorly translated into technical planning which – at both the national and state-territory levels and with some variation

Lack of consultation

Following on from the above, a general feeling among key informants was that there is a lack of community consultation and engagement in technical planning. While a state government employee in one jurisdiction spoke positively about cooperation between state and Commonwealth agencies in determining funding allocations, there was no Aboriginal involvement in the process. A submission to the NIDAC Consultations from another jurisdiction commented on similar arrangements:

> Whole of government efforts through COAG have often totally excluded the voice of the community and have been imposed in a top down manner. (AMSANT, NIDAC Consultation)

Community voices should always be part of planning decisions but, in the absence of epidemiological and service data to inform planning, the weight of such voices is particularly important. Limited consultation can lead to failure to address gaps in service provision, but also to resourcing of initiatives that may be in effective. An example of the latter is illustrated in the quote in the previous section relating to the establishment of a residential treatment facility in the Anangu Pitjantjatjara Yankunytjatjara Lands. As the informant went on to say:

> Every piece of advice from the community was that this isn't going to work. It was another case of the government not listening to the people and that's a really difficult thing. That's a real barrier (CEO NGO peak).

Key informants from all sectors generally agreed that services developed with community consultation and engagement are more likely to be successful. Technical planning will produce a better return on investment when informed by communities.

> Need an Aboriginal world view of what service delivery should look like and what the needs of the people are. That its Aboriginal owned and driven. (State government employee)

> Decisions about funding should be driven by Aboriginal organisations (CEO NACCHO affiliate)

> Idea comes to us from community. We review the past. What's been done? What works? What can we do? How much does it cost? Does it fit with our agency philosophy and the evidence? And *then* we micro plan. (CEO NGO)

While there was agreement on this point, a key barrier is the absence of structures through which it can be better facilitated.

Narrow definition of treatment

Concern has been expressed that ATOD treatment service planning – including the new *Drug and Alcohol Service Planning Model for Australia*[29] – tends to focus on medical

and counselling services and does not address the need for the social support services which are critical for long term treatment success. A key theme in participants' responses was that planning fails – and ultimately services fail their clients – when it

In this example the mechanism by which an outcome was achieved was altered as a result of community consultation.

> What we've advocated is at the state level is the contract management process would have two meetings a year where they come out twice a year and sit down with people. (CEO NGO peak)

Challenging policy circumstances

Several participants also discussed the challenges of technical planning associated with policy shifts that were not in line with agency priorities or with current evidence. For example, key informants reported that the introduction of mandatory treatment in the NT became a challenge for a number of organisations as the technical planning around ATOD services shifted suddenly and not in line with what communities perceived as need or best practice. As a consequence of this poor technical planning, further unplanned services were required for which adequate funding or support were not provided.

> … it became clear that aftercare or on-going care was required for people once they had left treatm

Planning which facilitates best practice

Following on from the above there was some discussion among participants regarding the commitment to best practice and culturally safe practice at the planning level. A key focus of the *NDS* and the *CAP* has been the importance of evidence based practice. Resources and planning are often directed toward piloting treatment practices or approaches ('There have been that many pilot projects you'd think we were an airport') to be followed by broad dissemination into existing services. However, such dissemination is typically poorly planned with scant attention paid during technical planning to the feasibility of implementing best practice and measure required to ensure they are adapted to suit local cultural needs.

Integrated technical planning

A primary theme from key informants in relation to planning is the need for integrated technical planning that includes national, state, and local agencies. When planning is not integrated it impacts on service providers and presents challenges meeting the needs of all funders. There is also the risk of over servicing some areas and underservicing others. For example:

> In one year [in named location] all these problems came up and they just chucked money in there. It's been highly un-coordinated money and the services don't talk to each other. … There's resource duplication, people can have 14 agencies working with them (CEO NGO peak)

technical planning. The importance of peak bodies cannot be underestimated. When properly resourced they can ensure the technical planning is appropriately managed from the perspectives of funders and also community. Consequently, it is important to ensure that peak bodies have a place at the table during technical planning activities and are able to play an active role in those activities.

In the absence of peak body involvement, there is a difficulty in communities and services advocating in a coordinated and positive fashion. It is important to include local voices to ensure that planning is responsive and appropriately flexible. However, as Ritter *et al*. caution that if there is a too great a focus on small local units in planning then planning becomes too cumbersome and there is a risk of over-planning.[52]

> The NATSIPDS can act as a balance to this trend by actively promoting proactivity and not reactivity, and strongly advocating for the central position of process in proposing or informing solutions. In particular, the NATSIPDS can provide a valuable launching point for the re-emphasis on community development as key principle and design feature of any AOD initiatives. (South Australian Network of Drug and Alcohol Services, NATSIPDS Consultation)

Support for planning

It is important to note that the majority of key informants who participated in this project felt that planning in ACCO treatment services was vitally important 'if you fail to plan, you plan to fail'. Improved planning of treatment services is necessary if those with ATOD problems are to be provided with a level of care that will achieve the best outcomes and if resources are to be efficiently used in accord with the principle of community control. At present planning processes are less than optimal and if they are to be improved additional support is required. Summarised below are areas of opportunity which, if supported, will improve the quality of planning in ATOD service delivery.

Planning and resources

To adequately support planning and improve outcomes a shift in resources is required. Importantly, several key informants commented that within government there is often both a lack planning expertise and resourcing for the planning process itself.

> Government requires people with technical knowledge to support planning. There's a lack of technical planning expertise in government.

> I'd like to see a well-developed strategic policy and planning unit, and work to continue to work out our policy planning and initiatives. It needs that leadership. (Government agency employee)

In a similar vein, the Kirby Institute submission to the NIDAC consultations stated:

> Surveillance of AOD use among Indigenous Australians could do with much improvement. One such improvement could be to increase the Indigenous sample for the National Drug Household Survey (which currently excludes people in prison). The new National Aboriginal and Torres Strait Islander Peoples Drug Strategy should propose a way in which measuring of AOD use among Indigenous Australians can be improved.

Participants expressed concern that the lack of data was resulting in poor service

provided. An ACCHS-PHC centred model has the potential to provide a more effective focus for the planning and provision of ATOD treatment services and is consistent with the broad strategies articulated in both the *National Drug Strategy*, the *National Drug Strategy Aboriginal and Torres Strait Islander Peoples Drug Strategy* and the *National Aboriginal And Torres Strait Islander Health Plan 2013–2023*.[9,45,58]

To be effective, a sharpened, coordinated focus on the planning of ATOD treatment services requires the structures and resources to support it. As articulated by service providers, these include: improved data collection; the strengthening of Aboriginal and Torres Strait Islander peak bodies and their state and territory affiliates to enable them to canvass and represent the views of regional and local communities; forums, with decision-making roles, which bring together on a regular basis representatives of ACCOs, other service providers, and governments which can provide more flexible responses to ATOD-related problems. Such forums would not need to meet more than annually and could probably be 'piggy-backed' on to other activities. While there are some cost implications of this, these are not necessarily great and would yield benefits in the more effective and efficient delivery of services.

… is about ensuring the ordinary law of the land applies in Indigenous communities, and

Strait Islander people also requires greater intensity of service provision.[67] This raises the question 'Are ATOD services for Aboriginal and Torres Strait Islander people funded at level adequate to meet the need?' We do not have the data available to answer this question in quantitative terms but – based on what those interviewed for this study have reported and a previous ANCD report[14] – the answer is 'No'.

Nationally, between 1999–2000 and 2006–2007, funding for all Aboriginal and Torres Strait Islander specific ATOD interventions, in real terms, rose by 34 per cent from $236 to $316 per person aged ≥15 years.[14] We are not aware of any similarly detailed studies of expenditure on Aboriginal and Torres Strait Islander ATOD services, but various reports indicate that since 2007 there have also been increased allocations. Nevertheless, none of the key informants we interviewed, none of the submissions made as part of the consultations conducted for development of the *National Aboriginal and Torres Strait Isl0 1Amen-15(s)9( )-8( )-8( )-8( )-8( )-8( )8-15(n)tples8( )-8(D-8(ugm)18(e)-r( )]eg*

An advantage of a an ACCHS-PHC centred model of ATOD treatment service provision is the potential for increased access to funding under the Medical Benefits Scheme for services such as screening and brief interventions, and improved treatment under mental health and chronic disease care packages which several of those interviewed said are currently under-utilised. Such funding could also support provision of care to clients of residential treatment services – either where organisations have part-time medical staff or, more importantly, where they have service agreements with ACCHS. While some saw this as a panacea for current funding short-falls, an experienced medical practitioner with an ACCHS cautioned:

> Medicare money would just fund the GP and the psychologist, nothing more. There'd be no profit from it to fund other aspects of the service. It wouldn't work without a residential grant strand. Then, Medicare can complement that. The core has to come from a grant.

Another ACCHS service provider pointed out that it is unrealistic for smaller ACCOs to believe Medicare would immediately and substantially boost income. It takes time to establish the client-base needed to generate this income and the positions must first be funded and then filled by suitably qualified staff. As discussed elsewhere, attracting and retaining quality staff is an obstacle facing many organisations. An ACCO peak representative also expressed concern about Medicare generated income, stating that a reliance on Medicare income may change the way health services are delivered in the PHC sector from:

> a team based, multidisciplinary, community, comprehensive primary health care … to much more of a GP-centric fee-for-service kind of thing.

In the context of broader cuts to government spending – given the well documented disadvantage faced by the Aboriginal and Torres Strait Islander population and the under-funding of current ATOD service provision – an important measure that could be taken is to quarantine or partially quarantine from future cuts ATOD programs targeted at Aboriginal and Torres Strait Islander people. Such quarantining could apply not just to specific programs such as those now administered by PM&C, but also to components of the SMSDGF and the NGOTGP. This would be a measure in the interests of equity of health outcomes – rather than the simple equal treatment of unequal people entailed in across-the-board cuts.

Another issue to be considered is the potential for reducing administrative costs incurred by the Australian Government in providing grants to state and territory governments which then purchase services from ACCOs. While there is certainly a need

for a coordinated approach to service planning between the Australian and state and territory governments, and ACCO representatives, this does not necessarily entail the multiple handling of funds. This issue was raised by representatives of a large ACCHS in the NT. They

services was recognised in the *National Drug Strategy Aboriginal and Torres Strait Islander Peoples Complementary Action Plan* and in the soon to be released *National Aboriginal and Torres Strait Islander Peoples Drug Strategy*.[13,45] The AGDH has provided funds for this purpose but, as attested by service providers themselves, there is a need for further investment – including funds for continuous quality improvement programs and service accreditation. As a representative of an ACCHS stated:

> Some people might say why spend money on that (quality improvement and accreditation) when we need to get services on the ground; but you're better off having fewer good services than more services that aren't getting the results.

'Selection' of providers and provision of funds

The question of mechanisms by which funding is allocated for the provision of ATOD treatment services is a vexed one from an ACCO perspective. When it comes to the 'selection' of providers of ATOD services for Aboriginal and Torres Strait Islander people, there is a need for a flexible approach by funding agencies. In the first instance, over much of rural and remote Australia, the funder-provider model is a distortion of reality. In effect, local communities have established and selected their own preferred service providers, that is ACCHS and other ACCOs. Where there is more than one ACCO in a location, they generally provide complementary (although not necessarily coordinated) services and are not in competition to provide the same suite of ATOD-related services. A large proportion of these services have been long established and have had historically-based individually negotiated agreements with various funding

are most likely come into competition with non-Indigenous NGOs, or are excluded from tendering at all by their inability to compete with larger NGOs. It wa

ATOD treatment sector.[11] Thus, in the Aboriginal and Torres Strait Islander context, the continued provision of funds through block grants is the most practical option for the foreseeable future. However, there needs to be clearly defined criteria for the basis of such funding, including assessments of need and the costs of service provision.

Contracting issues

Much of the discussion in this chapter has related to the major ATOD treatment programs administered by the AGDH and PM&C. However, it is important to note that service providers are dependent upon a plethora of grants, and the issues raised by key informants do not apply, or do not apply equally, to all funding contracts or the agencies administering them. Nevertheless, representatives of various ACCOs raised three key issues relating funding contracts that had a negative impact on the abilities of their organisations to provide quality treatment services. These were the short-term length of funding contracts, the burden imposed by reporting requirements, and the lack of flexibility in contractual agreements. These concerns are not new and they have been raised in other reports. While some steps have been taken to address these issues they nevertheless remain of concern.

The length of funding contracts

The amounts of the individual grants that most ATOD treatment service providers receive are insufficient to enable them to meet the demand for their services. For this reason they are dependent upon multiple grants. More recent detailed analysis is not available, but a study conducted for the 2006–2007 financial year found that 224 organisations conducting a broad range of ATOD interventions received a total of 494 separate grants. While this was a mean of 2.2 grant per organisation, the distribution was skewed. Many small organisations received only one grant, yet for those organisations providing complex treatment programs the mean was 4.1 grants with one organisation having 17 grants. Many of these were small one-off grants and year tAT9(f)13(f)ants a

11

bits and pieces of money to organisations where you're then having to develop ten

raised by the multiplicity of funding programs. The first of these is to reduce the number of programs. This is most easily realised by reducing the number of programs administered within a particular agency. The AGDH took this approach in 2011 when it reduced 159 funding programs to 18 ‘flexible funds’. This is less easily achieved between agencies within a particular jurisdiction and even less easily achieved between agencies from different jurisdictions. In these latter cases, the issue can be addressed by the pooling of resources by funding agencies – an approach which was suggested by some of those we interviewed and which has been tried in some locations but not widely adopted. The second approach to the problem of reliance on multiple funding programs is to increase the amounts by which service providers are funded under particular programs. This obviates the need to seek additional funds from other sources.

In this context, some

Islander people. If funding for such services is not increased in the immediate future and better systems put in place to enhance the capacity of ACCOs to respond to ATOD problems, those problems will(w)-17(3n0.48333 0 0FT)33(OD)] TJETQq7(r)-6( )] (w)-o17(3nr(n)20(

Summary

Higher levels of alcohol, tobacco and other drug use (ATOD) among some sections of the Aboriginal and Torres Strait Islander population are a consequence of and contribute to social inequality. They contribute to a significant proportion of the burden of physical and mental ill-health, reduce the capacity of individuals for employment, disrupt the early development and education of children, contribute to higher levels of breakdown in inter-personal relationships, violence and other crime, and higher levels of incarceration.

In order to reduce Aboriginal and Torres Strait Islander inequality, community action and government programs to reduce ATOD-related problems have been and continue to be of high priority. However, it is important to note that, because of the complex web of social problems within which ATOD-related problems are embedded, on their own strategies to reduce harmful ATOD use will be circumscribed in their effectiveness.

Research evidence shows that to effectively reduce ATOD-related harm, a multi-faceted approach is required. This evidence is t Ɋ ɋ Ɏ Ɔ Ɋ

and generally a paucity of on-going support and relapse prevention services for those completing intensive treatment. The gaps in treatment service provision are unevenly distributed and the priorities arising from them are not necessarily the priorities of particular communities. Furthermore, in some cases the services that are provided are provided as a result of historical funding decisions or the recent availability of program funds for particular services rather than current priorities.

The delivery of effective ATOD treatment services is dependent upon effective organisational structures and procedures – among service providers themselves and the organisations that support and fund them. There is evidence that, other factors being equal, community control of services produces better outcomes. Among some ATOD service providers, however, there is concern that community-control is being under-mined by top-down planning, exclusion from decision-making processes, and contracting of service provision to non-Indigenous organisations. In part, these concerns arise because there is no peak body to represent Aboriginal and Torres Strait Islander treatment service providers – as the National Aboriginal Community Controlled Health Organisation (NACCHO) and its state and territory affiliates do for ACCHS.

There is a need for a body that can represent the views of Aboriginal and Torres Strait

addressing ATOD problems but, again, have little knowledge of current best practice. Governments have attempted to address the first of these problems by providing basic governance training to board members. However, while this provides members with an understanding of their responsibilities it does not provide the level of expertise required to effectively govern an organisation. Of their own volition, some organisations have moved to the appointment of board members with specific areas expertise – with varying arrangements around voting rights – in addition to elected members without undermining the principle of community control. This is a positive move that should be further encouraged and one that could possibly be advocated by a peak organisation.

ATOD

There is recognition by communities and their representatives that in some instances although there is a need for Aboriginal and Torres Strait Islander specific services there may not be community-controlled organisations that are able or wish to take on provision of those services. However, where non-Indigenous organisations tender for such services using funds allocated by governments for the benefit of Aboriginal and Torres Strait Islander people, as a condition of their funding contracts they should be required to negotiate with communities regarding service planning, local community employment and capacity building and the transfer of services to community control within a specific time period. The Aboriginal Peak Organisations Northern Territory (APONT) has produced a set of guidelines for such engagement (which usefully could be more widely circulated) and and

familiarity with these plans and among those who have knowledge of them there is general endorsement of the plans' broad aspirational goals. However, at the technical and operational levels planning is not optimally effective.

While positive examples exist, service providers expressed a number of concerns about the planning of ATOD treatment services for Aboriginal and Torres Strait Islander people. Among these concerns are that planning is: largely symbolic and limited to the development of broad strategy; driven from the top, reactive and undermines community-control; constrained by the poor quality of available data; not directed at clear goals; not coordinated and integrated; local communities are not adequately consulted about their needs; and focuses too heavily on the allocation of resources at the expense of operational planning.

Poor planning affects the sector in four key ways. First, and most importantly, it means that those seeking treatment are unable to obtain it and that they and others around them will experience ongoing harm. Second, it impacts on the stability and effectiveness of the ATOD workforce and the opportunity build capacity. Third, it affects the organisations that provide services which may become ineffective and may ultimately fail. Finally it results in misallocated resources and potential waste.

A clearly articulated model for the delivery of ATOD-treatment services to Aboriginal and Torres Strait Islander people, such as that advocated above, is consistent with the broad strategies articulated in the *National Drug Strategy*, *National Drug Strategy Aboriginal and Torres Strait Islander Peoples Drug Strategy* and the *National Aboriginal And Torres Strait Islander Health Plan 2013–2023* and could provide a more effective focus for the planning and provision of ATOD treatment services.

To be effective however, a sharpened, coordinated focus on the planning of ATOD treatment services needs the structures and resources to support it. These include: improved data collection; the strengthening of Aboriginal and Torres Strait Islander peak bodies and their state and territory affiliates to enable them to canvass and represent the views of regional and local communities; forums, with decision-making roles, which bring together on a regular basis representatives community controlled organisations, other service providers and governments which can provide more flexible responses to ATOD-related problems. Such forums would not need to meet more than annually and could probably be 'piggy-backed' on to other activities. While there are some cost implications of this, these are not necessarily great and would yield benefits in the more effective and efficient delivery of services.

Australian Government funding for ATOD treatment services is not only provided by the Departments of Health and Prime Minister and Cabinet. Aboriginal Hostels Limit funds bed places in some residential treatment facilities. These funds are based on occupancy rates which do not take account of the recurrent component of costs of maintaining those beds, whether occupied or not, and thus under-fund the cost of providing the service. Furthermore, reporting requirements are onerous. As such costs are more akin to the provision of hospital, rather than hostel, beds the Aboriginal Hostels' funding should be transferred and consolidated under treatment grants funding.

A potential advantage of an ACCHS-PHC centred model of ATOD

Appendix 1: List of Abbreviations

ACCHS	Aboriginal community controlled health service
ACCO	Aboriginal community controlled organisation
AGDH	Australian Government Department of Health (and as it was previously known the Australian Government Department of Health and Aging)
AHL	Aboriginal Hostels Limited
AMSANT	Aboriginal Medical Services Alliance Northern Territory
ANCD	Australian National Council on Drugs

Appendix 2: The Authors

Dennis Gray BA MA MPH PhD

Professor Dennis Gray is a Deputy Director at the National Drug Research Institute at Curtin University, and a leader of the Institute's Aboriginal Research Program and has a long history of conducting collaborative research with Aboriginal community-controlled organisations on alcohol, tobacco and other drug issues. His research has had demonstrable outcomes at the national, state/territory and regional and

Edward Wilkes AO BA

References

1. Wilkinson RG, Marmot M (eds). *Social Determinants of Health: the Solid Facts*, 2nd edn. Copenhagen: World Health Organization, Regional Office for Europe, 2003.
2. Marmot, M. Social determinants and the health of Indigenous Australians. *Medical Journal of Australia* 2011; 194 (10): 512–513.
3. Gray D, Saggers S, Stearne A. Indigenous health: the perpetuation of inequality. In Germov J (ed) *Second Opinion: An Introduction to Health Sociology*, 5th edn. Melbourne: Oxford University Press, 2014; 147–162.
4. Chikritzhs T, Pascal R, Gray D, Stearne A, Saggers S, Jones P. Trends in alcohol-attributable deaths among Indigenous Australians, 1998–2004. *National Health Indicators Bulletin* No. 11. Perth: National Drug Research Institute, 2007.
5. Australian Institute of Health and Welfare. *The Health and Welfare of Australia's Aboriginal and Torres Strait Islander People: An Overview 2011*. Cat. no. IHW 42. Canberra: AIHW, 2011. Available at: http://www.aihw.gov.au/publication-detail/?id=10737418989 (accessed May 2014)
6. Australian Institute of Health and Welfare. *Substance Use Among Aboriginal and Torres Strait Islander People*. Cat. no. IHW 40. Canberra: Australian Institute of Health and Welfare, 2011.
7. Steering Committee for the Review of Government Service Provision. *Overcoming Indigenous Disadvantage: Key Indicators 2011*. Canberra: Productivity Commission, 2011.
8. Weatherburn D. *Arresting Incarceration: Pathways Out of Indigenous Imprisonment*. Canberra: Aboriginal Studies Press, 2014.
9. Ministerial Council on Drug Strategy. *The National Drug Strategy 2010–2015: A Framework For Action on Alcohol, Tobacco, and Other Drugs*. Canberra: Australian Government Department of Health and Ageing, 2011.
10. Commonwealth of Australia, Department of Health and Ageing. Request For Tender: Review of the drug and alcohol prevention and treatment services. RFT No. DoHA/105/1213. Canberra: Department of Health and Ageing, 2013.

T1 5stETBT1 0 0 1 v6 1otETBT22 7T)-18(e)31(nde9( )-553(a)42 3 TmG)5(ove)31(r)-14(nm)17eu.98 56Bnde914au22(,s)-4(.)-1de9PA)26(6)-10