

Fowlers Gap Biodiversity Checklist

Plants

Fowlers Gap is predominantly chenopod shrubland but has a diverse and well-studied flora. The following list was t. Additiona



1 plants have been added from the Fowlers Gap collection in the John T Waterhouse Herbarium at the University of NSW.

| Scientific name | Common name | J |
|-------------------------------------|----------------------------|--------------------------|
| Pteridophytes | Ferns | |
| <i>Family Pteridaceae</i> | | |
| <i>Cheilanthes lasiophylla</i> | Woolly Cloak Fern | <input type="checkbox"/> |
| <i>Family Marsileaceae</i> | | |
| <i>Marsilea drummondii</i> | Common Nardoo | <input type="checkbox"/> |
| <i>Family Ophioglossaceae</i> | | |
| <i>Ophioglossum lusitanicum</i> | Adder's Tongue | <input type="checkbox"/> |
| Angiosperms | Monocots | |
| <i>Family Poaceae</i> | <i>Grasses</i> | |
| <i>Avena fatua</i> | Wild Oats | <input type="checkbox"/> |
| <i>Agrostis avenacea</i> | Blown Grass | <input type="checkbox"/> |
| <i>Aristida anthoxanthoides</i> | Pale Wiregrass | <input type="checkbox"/> |
| <i>Aristida contorta</i> | Kerosene Grass | <input type="checkbox"/> |
| <i>Aristida echinata</i> | Tall Wiregrass | <input type="checkbox"/> |
| <i>Aristida nitidula</i> | | <input type="checkbox"/> |
| <i>Astrebla lappacea</i> | Curly Mitchell Grass | <input type="checkbox"/> |
| <i>Astrebla pectinata</i> | Barley Mitchell Grass | <input type="checkbox"/> |
| <i>Austrodanthonia setacea</i> | Small-flower Wallaby-grass | <input type="checkbox"/> |
| <i>Austrostipa nodosa</i> ill Grass | | <input type="checkbox"/> |
| | | |
| <i>Chloris divaricata</i> | Slender Windmill Grass | <input type="checkbox"/> |
| <i>Chloris truncata</i> | Windmill Grass | <input type="checkbox"/> |
| <i>Cymbopogon ambiguus</i> | Lemon-scented Grass | <input type="checkbox"/> |
| <i>Dactyloctenium radulans</i> | Button Grass | <input type="checkbox"/> |
| <i>Dicanthium sericeum</i> | Queensland Bluegrass | <input type="checkbox"/> |
| <i>Digitaria brownii</i> | Cotton Panic Grass | <input type="checkbox"/> |
| <i>Digitaria divaricatissima</i> | Spreading Umbrella Grass | <input type="checkbox"/> |
| <i>Echinochloa colonum</i> | Awnless Barnyard Grass | <input type="checkbox"/> |
| <i>Enneapogon avenaceus</i> | Common Bottlewashers | <input type="checkbox"/> |

| Scientific name | Common name | J |
|-------------------------------|------------------------|---|
| <i>Enneapogon cylindricus</i> | Jointed Bottlewashers | |
| <i>Enneapogon intermedius</i> | Tall Bottlewashers | |
| <i>Enneapogon nigricans</i> | Niggerheads | |
| <i>Enneapogon polyphyllus</i> | Limestone Bottlewasher | |

Scientific name Common name J

Angiosperms

Dicots

Family Casuarinaceae

Oaks

Casuarina pauper

Belah

Family Loranthaceae

Mistletoes

Amyema maidenii

Pale-leaf Mistletoe

Amyema miquelii

Box Mistletoe

Amyema preissii

Wire-leaf Mistletoe

Lysiana exocarpi

Harlequin Mistletoe

Lysiana murrayi

Mulga Mistletoe

Family Santalaceae

Sourbushes, Cherrys, Quandongs

Santalum acuminatum

Quandong

Santalum lanceolatum

Sandalwood

Family Polygonaceae

Docks, Lignums, Knotweeds

Acetosa vesicaria

Wild Hops

Muehlenbeckia cunninghamii

Lignum

Polygonum plebeium

Small Knotweed

Rumex tenax

Family Chenopodiaceae

Saltbushes, Bluebushes, Copperburrs

Atriplex angulata

Fan Saltbush

Atriplex conduplicata

Atriplex eardleyae

Small Saltbush

Atriplex fissivalvis

Gibber Saltbush

Atriplex holocarpa

Pop Saltbush

Atriplex intermedia

Atriplex limbata

Spreading Saltbush

Atriplex lindleyi

Eastern Flat-top Saltbush

Atriplex lindleyi subsp. *inflata*

Atriplex nummularia

Old Man Saltbush

Atriplex suberecta

Lagoon Saltbush

Atriplex spongeosa

Pop Saltbush

Atriplex stipitata

Bitter Saltbush

Atriplex vesicaria subsp. *calcicola*

Bladder Saltbush

Atriplex vesicaria subsp. *sphaerocarpa*

Chenopodium curvispicatum

Chenopodium murale

Nettle-lead Goosefoot

Chenopodium nitrariaceum

Nitre Goosefoot

Dissocarpus biflorus

Twin-horned Coppurburr

Dissocarpus paradoxa

Cannon-Ball

Einadia nutans subsp. *oxycarpa*

Climbing Saltbush

Enchylaena tormentosa

Ruby Saltbush

Ma 2011 m(Ench) n. 8 08 ref 2011 mhrDCBTTT9If-01 c 01 w 102011 m(TjoTf01 c -01 w 01 w 102011 m(TjoTf01 T9If

Scientific name

Common name

J

Maireana crassiloba

Maireana erioclada

| |
|--|
| |
|--|

Scientific name
Alternanthera nana

Common name

J

| Scientific name | Common name | J |
|--|-------------------|---|
| <i>Senna artemesioides</i> notho subsp. <i>artemesioides</i> | Silver Cassia | |
| <i>Senna artemesioides</i> subsp. <i>filifolia</i> | Punty Bush | |
| <i>Senna artemesioides</i> subsp. <i>petiolaris</i> | Flat-stalk Senna | |
| <i>Senna circinnata</i> | Spring-pod Cassia | |
| <i>Senna desolata</i> | Grey Cassia | |
| <i>Senna phyllodinea</i> | Woody Cassia | |

| Scientific name | Common name | J |
|-------------------------------|---------------------------------------|--------------------------|
| <i>Euphorbia drummondii</i> | Caustic Weed | <input type="checkbox"/> |
| <i>Euphorbia eremophila</i> | Desert Spurge | <input type="checkbox"/> |
| <i>Euphorbia stevenii</i> | Bottle-tree Spurge | <input type="checkbox"/> |
| <i>Phyllanthus lacunarius</i> | Lagoon Spurge | <input type="checkbox"/> |
| Family Sapindaceae | Whitewood, Rosewood, Hopbushes | |
| <i>Dodonea attenuata</i> | Narrow-leaf Hopbush | <input type="checkbox"/> |
| <i>Dodonea viscosa</i> | Broad-leaf Hopbush | |

| | Common name | J |
|---|--|--------------------------|
| | Spreading Heliotrope | <input type="checkbox"/> |
| | Burr Stickseed | <input type="checkbox"/> |
| | Cattle Bush | <input type="checkbox"/> |
| | Verbenas | |
| | Trailing Verbena | <input type="checkbox"/> |
| | Mints, Mintbushes, Pennyroyals, Germanders | |
| | Jockey's Cap | <input type="checkbox"/> |
| | Grey Germander | <input type="checkbox"/> |
| | Nightshades, Tobaccos, Thornapples | |
| | Downy Thornapple | <input type="checkbox"/> |
| | Native Thornapple | <input type="checkbox"/> |
| | Tobacco Bush | <input type="checkbox"/> |
| | Velvet Potato-bush | <input type="checkbox"/> |
| | Quena | <input type="checkbox"/> |
| | Black-berry Nightshade | <input type="checkbox"/> |
| | Monkey-flowers, Mulleins, Blue-rods, Speedwells | |
| Scrophulariaceae | Australian Broomrape | <input type="checkbox"/> |
| <i>Orobanche cernua</i> var. <i>australiana</i> | Bluerod | <input type="checkbox"/> |
| <i>Stemodia florulenta</i> | | |
| Family Acanthaceae | | |
| <i>Rostellularia adscendens</i> var. <i>pogonathera</i> | Pink Tongues | <input type="checkbox"/> |
| Family Myoporaceae | Fuschia Bushes, Emubushes, Boobiallas | |
| <i>Eremophila alternifolia</i> | Narrow-leaf Fuschia-bush | <input type="checkbox"/> |
| <i>Eremophila deserti</i> | Ellengowan Poison-bush | <input type="checkbox"/> |
| <i>Eremophila duttonii</i> | Harlequin Fuschia-bush | <input type="checkbox"/> |
| <i>Eremophila longifolia</i> | Emubush | <input type="checkbox"/> |
| <i>Eremophila maculata</i> | Spotted Fuschia | <input type="checkbox"/> |
| <i>Eremophila oppositifolia</i> | Weeooka | <input type="checkbox"/> |
| <i>Eremophila serrulata</i> | Green Fuschia-bush | <input type="checkbox"/> |
| <i>Eremophila sturtii</i> | Turpentine | <input type="checkbox"/> |
| <i>Myoporum montanum</i> | Western Boobialla | <input type="checkbox"/> |
| <i>Myoporum platycarpum</i> | Sugarw | |

| Scientific name | Common name | J |
|----------------------------------|-------------------------------|--------------------------|
| Family Lobeliaceae | | |
| <i>Isotoma petraea</i> | Rock Isotome | <input type="checkbox"/> |
| Family Goodeniaceae | Goodenias, Fan-flowers | |
| <i>Goodenia fascicularis</i> | Silky Goodenia | <input type="checkbox"/> |
| <i>Goodenia lunata</i> | Hairy Goodenia | <input type="checkbox"/> |
| <i>Goodenia pinnatifida</i> | Scrambled Eggs | <input type="checkbox"/> |
| Family Asteraceae | Daisies, Groundsels | |
| <i>Actinobole uliginosa</i> | Flannel Cudweed | <input type="checkbox"/> |
| <i>Anemocarpa podolepidium</i> | Rock Everlasting | <input type="checkbox"/> |
| <i>Angianthus burkittii</i> | Wires-and-wool | <input type="checkbox"/> |
| <i>Angianthus brachypappus</i> | Spreading Cup-flower | <input type="checkbox"/> |
| <i>Brachycome campylocarpa</i> | Large White Daisy | <input type="checkbox"/> |
| <i>Brachycome ciliaris</i> | Variable Daisy | <input type="checkbox"/> |
| <i>Brachycome heterodonta</i> | Lobed-seed Daisy | <input type="checkbox"/> |
| <i>Brachycome lineariloba</i> | Hard-headed Daisy | <input type="checkbox"/> |
| <i>Calotis cymbacantha</i> | Showy Burr-daisy | <input type="checkbox"/> |
| <i>Calotis cuneifolia</i> | Purple Burr-daisy | <input type="checkbox"/> |
| <i>Calotis hispidula</i> | Bogan Flea | <input type="checkbox"/> |
| <i>Calotis latiuscula</i> | Leafy Burr-daisy | <input type="checkbox"/> |
| <i>Calotis multicaulis</i> | Woolly-headed Burr-daisy | <input type="checkbox"/> |
| <i>Calotis plumulifera</i> | | <input type="checkbox"/> |
| <i>Calotis scabiosifolia</i> | Rough Burr-daisy | <input type="checkbox"/> |
| <i>Carthamus lanatus</i> | Saffron Thistle | <input type="checkbox"/> |
| <i>Centaurea melitensis</i> | Maltese Cockspur | <input type="checkbox"/> |
| <i>Craspedia pleiocephala</i> | Soft Billy-buttons | <input type="checkbox"/> |
| <i>Dittrichia graveolens</i> | Stinkwort | <input type="checkbox"/> |
| <i>Glossogyne tenuifolia</i> | Cobbler's Tack | <input type="checkbox"/> |
| <i>Gnephosis arachnoidea</i> | | <input type="checkbox"/> |
| <i>Gnephosis eriocarpa</i> | Native Camomile | <input type="checkbox"/> |
| <i>Gnephosis foliata</i> | Erect Yellow-heads | <input type="checkbox"/> |
| <i>Hedypnois rhagadioloides</i> | Cretan Weed | <input type="checkbox"/> |
| <i>Helichrysum apiculatum</i> | Yellow Buttons | <input type="checkbox"/> |
| <i>Helichrysum semifertile</i> | Dainty Everlasting | <input type="checkbox"/> |
| <i>Helipterum corymbiflorum</i> | Grey Sunray | <input type="checkbox"/> |
| <i>Helipterum floribundum</i> | Common White Sunray | <input type="checkbox"/> |
| <i>Helipterum jessenii</i> | Orange Sunray | <input type="checkbox"/> |
| <i>Helipterum microglossum</i> | Clustered Sunray | <input type="checkbox"/> |
| <i>Helipterum moschatum</i> | Musk Sunray | <input type="checkbox"/> |
| <i>Helipterum molle</i> | Hoary Sunray | <input type="checkbox"/> |
| <i>Helipterum polygalifolium</i> | Brilliant Sunray | <input type="checkbox"/> |
| <i>Helipterum pygmaeum</i> | Pigmy Sunray | <input type="checkbox"/> |
| <i>Helipterum strictum</i> | Slender Sunray | <input type="checkbox"/> |
| <i>Helipterum troedelii</i> | Western Sunray | <input type="checkbox"/> |
| <i>Helipterum uniflorum</i> | Woolly Sunray | <input type="checkbox"/> |
| <i>Isoetopsis graminifolia</i> | Grass Cushions | <input type="checkbox"/> |
| <i>Ixiochlamys cuneifolia</i> | Silverton Daisy | <input type="checkbox"/> |
| <i>Ixiolaena chloroleuca</i> | | <input type="checkbox"/> |

| Scientific name | Common name | J |
|------------------------------------|-------------------------|---|
| <i>Ixiolaena leptolepis</i> | Stalked Plover-daisy | |
| <i>Ixiolaena tomentosa</i> | Woolly Plover-daisy | |
| <i>Lemooria burkitii</i> | | |
| <i>Leptorhynchos baileyi</i> | | |
| <i>Minuria cunninghamii</i> | Bush Minuria | |
| <i>Minuria denticulata</i> | Woolly Minuria | |
| <i>Minuria integerrima</i> | Smooth Minuria | |
| <i>Minuria leptophylla</i> | Minnie Daisy | |
| <i>Myriocephalus plurifloris</i> | Woolly Heads | |
| <i>Myriocephalus stuartii</i> | Poached Eggs | |
| <i>Podolepsis canescens</i> | Large Copper-wire Daisy | |
| <i>Podolepsis capillaries</i> | Invisible Plant | |
| <i>Podolepsis muelleri</i> | Small Copper-wire Daisy | |
| <i>Podolepsis neglecta</i> | Podolepsis | |
| <i>Pseudognaphalium luteoalbum</i> | | |